

# SAFETY DATA SHEET

## IGL Coatings™ Ecocoat Bike

Material no.

Specification

Version

154315

1.10

Revision date

Print date

Page

14.02.2018

14.02.2018

Page 1 of 6



### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME : IGL Coatings™ ecocoat bike  
FUNCTION : Hydro & oleophobizing and easy clean agent surface modifier and gloss enhancer  
COMPANY : Ominent Sdn Bhd  
ADDRESS : 6 Jalan Para U8/103 Bukit Jelutong 40150 Shah Alam, Selangor Darul Ehsan, Malaysia  
PHONE : +60378310980  
EMAIL ADDRESS : sales@iglcoatings.com

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008



GHS02

H226 flammable liquid and vapour



GHS07

H302 Harmful if swallowed  
H319 Causes serious eye irritation  
H315 Causes skin irritation  
H336 May cause drowsiness or dizziness

#### 2.2 Label Elements

Regulation (EC) No. 1272/2008



GHS02

#### Hazard statements

H226 flammable liquid and vapour





GHS07

H302 Harmful if swallowed  
H319 Causes serious eye irritation  
H315 Causes skin irritation  
H336 May cause drowsiness or dizziness

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P281 Use personal protective equipment as required  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.  
P331 Do NOT induce vomiting  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS No	Chemical Name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 (CLP)			
110-54-3	Hexane			<10%
	203-777-6	601-037-00-00	Not applicable	
	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315: STOT SE 3: H336; Flam. Liq. 3: H226 – Warning  			

# SAFETY DATA SHEET

## IGL Coatings™ Ecocoat Bike

Material no.

Specification

Version

**154315**

**1.10**

Revision date

Print date

Page

**14.02.2018**

**14.02.2018**

Page 2 of 6



63148-62-9	Poly(dimethylsiloxane)			>90%
	Not applicable	Not applicable	Not applicable	
	Not applicable			

Full text of H and EUH statements: see section 16.

#### 4. FIRST AID MEASURES

##### General Information

Take off contaminated clothing

##### After Inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

##### After skin contact

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment

##### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

##### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips ( dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

##### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

##### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

##### 5.1 Extinguishing media

Suitable extinguishing media : foam, CO2, dry powder

**Unsuitable extinguishing media: None known**

##### 5.2 Special hazards arising from the substance or mixture

Hazardous toxic and irritating fumes or smoke may be emitted

Vapours may travel considerable distance to ignition source and flash back

##### 5.3 Advise for firefighters

As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

##### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8).

##### 6.2. Environmental precautions

Discharge into the environment must be avoided.

##### 6.3. Methods and material for containment and cleaning up

Take up mechanically.

Treat the recovered material as prescribed in the section on waste disposal .

Clean contaminated articles and floor according to the environmental legislation.

##### 6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

#### 7. HANDLING AND STORAGE

##### 7.1. Precautions for safe handling

###### Advice on safe handling

# SAFETY DATA SHEET

## IGL Coatings™ Ecocoat Bike

Material no.

Specification

Version

**154315**

**1.10**

Revision date

Print date

Page

**14.02.2018**

**14.02.2018**

Page 3 of 6



Wear personal protection equipment (refer to section 8).

### **Advice on protection against fire and explosion**

Keep container closed when not in use

### **Further information on handling**

General protection and hygiene measures: refer to chapter 8

## **7.2. Conditions for safe storage, including any incompatibilities**

### **Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place.

### **Advice on storage compatibility**

Do not store together with food and feeding stuffs.

### **Further information on storage conditions**

Keep the packing dry and well sealed to prevent contamination. Recommended storage temperature: 20C

Protect against: UV-radiation/sunlight. heat.

Static electricity may accumulate and cause a fire hazard

## **7.3. Specific end use(s) :refer to chapter 1.**

## **7.4. Information about the emptied container**

Residues will be explosive or flammable.

Keep away from heat, sparks and flame

Do not puncture or cut this container, and do not weld on or near this container

## **8. EXPOSURE CONTROL/PERSONAL PROTECTION**

### **8.1 Control parameters**

#### **Ingredients with limit values that require monitoring at the workplace:**

OSHA PEL : TWA = 8H TWA 200ppm (Methanol ; decomposed product)

ACGIH TLV (s) : TWA = 200ppm ; STEL 250ppm (skin)

**Additional Information** : The lists valid during the making were used as basis.

### **8.1 Exposure Control**

#### **Personal protective equipment:**

**General protective and hygienic measures:** Wash hands before breaks and at the end of work.

**Respiratory protection:** Not required.

#### **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** Goggles recommended during refilling

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

Boiling Point	: 83 °C
Vapour Pressure	: 12kPa (at 20°C)
Vapor Density	: 4.1 (Air = 1)
Specific Gravity	: 0.97 (at 20°C)
Melting Point	: Not applicable
Flash Point	: ~25°C

# SAFETY DATA SHEET

## IGL Coatings™ Ecocoat Bike

Material no.

Specification

Version

**154315**

**1.10**

Revision date

Print date

Page

**14.02.2018**

**14.02.2018**

Page 4 of 6



pH	: 7.0 +/- 0.5
Evaporation Rate	: >1 (Butyl Acetate = 1)
Solubility in Water	: Not soluble (hydrolysed with water)
Appearance (color)	: light transparent yellow
Appearance (form)	: Fluid
Odour	: Peculiar fragrance

### 10. STABILITY AND REACTIVITY

**10.1 Reactivity** : No further relevant information available

**10.2 Chemical stability** : Stable

Thermal decomposition / conditions to avoid : No decomposition if used according to specifications

**10.3 Possibility of hazardous reactions** : No dangerous reactions known

**10.4 Conditions to avoid** : Sunlight, heat, open flames, high temperature, sparks, static electrical charge, other ignition sources

**10.5 Incompatible materials** : Oxidizers

**10.6 Hazardous decomposition products** : Carbon monoxides may be formed.

Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product : Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

**Acute toxicity** : LD50 Oral – Rat – 5.628g/kg (Methanol:decomposed product)

LD50 Inhalation – Rat – 4 h – 64000 ppm (Methanol:decomposed product)

**Skin corrosion/irritation** : Moderate irritation (Rabbit; 20mg/24 h Methanol:decomposed product)

**Eye irritation** : Causes moderate eye irritation (Rabbit; 100mg/24 h Methanol:decomposed product)

**Respiratory or skin sensitization** : Shall not be classified as respiratory or skin sensitizer

**Summary of evaluation of the CMR properties** : Shall not be classified as a germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

**Specific target organ toxicity – single exposure** : May cause drowsiness or dizziness

**Specific target organ toxicity – repeated exposure** : Ingestion – May cause damage to organs through prolonged or repeated exposure. Nervous system

**Aspiration hazard** : Shall not be classified as presenting as aspiration hazard

#### Potential health effects

Inhalation Harmful if inhaled. Causes respiratory tract irritation. Vapours may cause drowsiness and dizziness.

Ingestion Harmful if swallowed. Aspiration hazard if swallowed - can enter lungs and cause damage.

Skin Harmful if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation.

#### Signs and Symptoms of Exposure

Prolonged or repeated contact with skin may cause:, defatting, Dermatitis, Contact with eyes can cause:, Redness, Blurred vision, Provokes tears., Effects due to ingestion may include:, Gastrointestinal discomfort, Central nervous system depression, Lung irritation, chest pain, pulmonary edema, giddiness, slowed reaction time, slurred speech, Headache, Dizziness, Drowsiness, Unconsciousness

#### Additional Information

RTECS: MN9275000

### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

According to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment

#### Aquatic toxicity (Acute)

Endpoint	Value	Species	Source	Exposure time
LC50	444mg/l	Fish	ECHA	96 hours

# SAFETY DATA SHEET

## IGL Coatings™ Ecocoat Bike

Material no.

Specification

Version

**154315**

**1.10**

Revision date

Print date

Page

**14.02.2018**

**14.02.2018**

Page 5 of 6



EC50	>600mg/l	Aquatic invertebrates	ECHA	48 hours
ErC50	725 mg/l	Algae	ECHA	72 hours

### Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
LC50	3.5mg/l	Fathead minnow	ECHA	96 h
EC50	4.878mg/l	Water flea	ECHA	48 h
EC50	11.84mg/l	Fresh water algae	ECHA	3 h
EC50	0.5mg/l	Skeletoma	ECHA	8 h

### 12.2 Process of degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB Assessment

Data are not available

### 12.6 Other adverse effects

Data are not available

## 13. DISPOSAL CONSIDERATION

### 13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulation.

### Sewage disposal-related information

Do not empty into drains.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## 14. TRANSPORT INFORMATION

### 14.1 UN number

ADR/RID: 1170

IMDG: 1170

IATA-DGR: 1170

### 14.2 UN proper shipping name

ADR/RID: Ethyl Alcohol Solution

IMDG: Ethyl Alcohol Solution

IATA-DGR: Ethyl Alcohol Solution

### 14.3 Transport hazard class(es)

ADR/RID: 3

IMDG: 3

IATA-DGR: 3

### 14.4 Packaging group

ADR/RID: II

IMDG: III

IATA-DGR: II I

### 14.5 Environmental hazards

ADR/RID: yes

IMDG Marine pollutant: no

IATA-DGR: no

### 14.6 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

### 14.7 Special precautions for user

No data available

# SAFETY DATA SHEET

## IGL Coatings™ Ecocoat Bike

Material no.

Specification

Version

**154315**

**1.10**

Revision date

Print date

Page

**14.02.2018**

**14.02.2018**

Page 6 of 6



### 15. REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

##### Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII: not relevant

##### National regulatory information

Water contaminating class (D): Non contaminating

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### 16. OTHER INFORMATION

#### Further information

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material use in combination with any other materials or any process, unless specified in the test.